Gross Motor Functional Classification System (GMFCS)1: Please read the following and mark one box beside the description that **best** represents your child's movement abilities. Has difficulty sitting on their own and controlling their head and body posture in most positions and has difficulty achieving any voluntary control of movement and needs a specially supportive chair to sit comfortably and has to be lifted or hoisted by another person to move Can sit on their own but does not stand or walk without significant support and therefore relies mostly on wheelchair at home, school and in the community and often needs extra body / trunk support to improve arm and hand function and may achieve self-mobility using a powered wheelchair Can stand on their own and only walks using a walking aid (such as a walker, rollator, crutches, canes, etc.) and finds it difficult to climb stairs, or walk on uneven surfaces and may use a wheelchair when travelling for long distances or in crowds Can walk on their own without using walking aids, but needs to hold the handrail when going up or down stairs and often finds it difficult to walk on uneven surfaces, slopes or in crowds Can walk on their own without using walking aids, and can go up or down stairs without needing to hold the handrail and walks wherever they want to go (including uneven surfaces, slopes or in crowds) and can run and jump although their speed, balance, and coordination may be slightly limited photos: https://www.cerebralpalsy.org.au/what-is-cerebral-palsy/severity-of-cerebral-palsy/gross-motor-function-classification-system/ text:: http://motorgrowth.canchild.ca/en/GMFCS/familyreportquestionnaire.asp] Functional Mobility Scale (FMS)²: The FMS was developed to classify functional mobility at three specific distances. Please rate the registrant's usual means of mobility using the numbers and descriptors below. It is not uncommon to have different scores for the different distances. Uses wheelchair, stroller or buggy: may stand for transfers and may do some stepping supported by another person or using a walker/frame short distances around the Uses walker or walking frame without help from another person house (about 5 meters) Uses two crutches without help from another person moderate distances between Uses one crutch or two sticks without help from another person. rooms within a building, such Uses rails for support on stairs, or furniture or walls for support. as school (about 50 meters) Independent on level surfaces: does not use walking aids or need help from another person. Does not use the rails when climbing stairs. **longer** distances around the Independent on all surfaces: does not use any walking aids or community (about 500 need any help from another person when walking, running, meters) climbing and climbing stairs The registrant crawls for mobility at home. Does not apply. The registrant does not complete distance.

CPRR: Exams for 6-11 year olds

Manu	ual Ability Classification System (MACS) ³ :				
The N	ብACS was developed to classify how individuals with cerebral բ	alsy <u>usually</u> use their	hands when handling	objects	
in dai	ly activities, for example during play and leisure, eating and d	ressing. Please rate ho	w the registrant uses o	one or	
both (of their hands for activities, rather than assessing and classifyi	ng each hand separat	ely. Consider the level	of	
indep	endence you might expect based on their age, and which situ	ations they are indepe	ndent and to what ext	ent do	
they r	need support and adaptation?				
	Handles objects easily and successfully. At most, limitations	in the ease of perforn	ning manual tasks requ	uiring	
	speed and accuracy. However, any limitations in manual abi	lities do not restrict in	dependence in daily		
	activities.				
	Handles most objects but with somewhat reduced quality a	nd/or speed of achiev	ement. Certain activiti	es may	
	be avoided or be achieved with some difficulty; alternative	ways of performance i	might be used but mar	nual	
	abilities do not usually restrict independence in daily activities.				
	Handles objects with difficulty; needs help to prepare and/o	r modify activities. Th	e performance is slow	and	
	achieved with limited success regarding quality and quantity	. Activities are perfor	med independently if	they	
	have been set up or adapted.				
	Handles a limited selection of easily managed objects in ada	pted situations. Perfo	rms parts of activities	with	
	effort and with limited success. Requires continuous suppor	t and assistance and/o	or adapted equipment	, for	
	even partial achievement of the activity.				
	Does not handle objects and has severely limited ability to p	erform even simple a	ctions. Requires total		
	assistance.				
The B hands	nual Fine Motor Function ⁴ FMF is a system for grading how someone uses both of their has have similar abilities, as well as situations where one hand have the sest describes your child's function				
		Left Hand	Dight Hand		
	manipulates without restrictions		Right Hand		
	limitations in more advanced fine motor skills				
	only ability to grasp				
	no functional ability				
	no functional ability				
Sumn	nary (can be filled in by coordinator if you are unsure)				
	One hand manipulates without restrictions and the other hand	and maninulates with	out restrictions or has		
ш	limitations in more advanced fine motor skills	and mampulates with	out restrictions of mas		
П	One hand manipulates without restrictions and the other ha	and has only ability to	grash or hold		
	Both hands have limitations in more advanced fine motor sl		grasp or floid		
	One hand manipulates without restrictions and the other ha		ahility		
	One hand has limitations in more advanced fine motor skills			n or	
	worse	and the other name	ids office ability to gras	p 01	
	Both hands have only ability to grasp				
	One hand has only ability to grasp and the other hand has o	only ability to hold or v	vorse		
_	Roth hands have only ability to hold or worse	, , ,			

CPRR: Exams for 6-11 year olds

Comm	unication Functional Classification System ⁵			
	CS is designed to rate everyday typical communication behaviors. Please select the response that best describes			
the registrant's typical ability to communicate with those that they know and those that they don't know. Being a				
sender	r means that they are talking, or sending a message; being a receiver means they are listening/hearing a message.			
	Effective Sender and Receiver with unfamiliar and familiar partners. The person independently alternates			
	between sender and receiver roles with most people in most environments. The communication occurs easily			
	and at a comfortable pace with both unfamiliar and familiar conversational partners Communication			
	misunderstandings are quickly repaired and do not interfere with the overall effectiveness of the person's			
	communication.			
	Effective but slower paced Sender and/or Receiver with unfamiliar and/or familiar partners. The person			
	independently alternates between sender and receiver roles with most people in most environments, but the			
	conversational pace is slow and may make the communication interaction more difficult. The person may need			
	extra time to understand messages, compose messages, and/or repair misunderstandings. Communication			
	misunderstanding are often repaired and do not interfere with the eventual effectiveness of the person's			
	communication with both unfamiliar and familiar partners			
Ш	Effective Sender and Receiver with familiar partners. The person alternates between sender and receiver			
	roles with familiar (but not unfamiliar) conversational partners in most environments. Communication is not			
	consistently effective with most unfamiliar partners, but is usually effective with familiar partners.			
	Inconsistent Sender and/or Receiver with familiar partners. The person does not consistently alternate			
	sender and receiver roles. This type of inconsistency might be seen in different types of communicators			
	including: a) an occasionally effective sender and receiver; b) an effective sender but limited receiver; c) a			
	limited sender but effective receiver. Communication is sometimes effective with familiar partners.			
	Seldom Effective Sender and Receiver even with familiar partners. The person is limited as both a sender and			
	a receiver. The person's communication is difficult for most people to understand. The person appears to have			
	limited understanding of messages from most people. Communication is seldom effective even with familiar			
	partners.			
	and Drinking Ability Classification System (EDACS) ⁶ :			
	read the following and mark only one box beside the description that best represents your child's eating and			
drinkir	ng abilities.			
	Take and deinly safely and afficiently			
-	Eats and drinks safely and efficiently.			
	Eats and drinks safely but with some limitations to efficiency.			
Ц_	Eats and drinks with some limitations to safety; there may be limitations to efficiency.			
	Eats and drinks with significant limitations to safety.			
	Unable to eat or drink safely – tube feeding may be considered to provide nutrition.			

^{1.} Palisano, R., Rosenbaum, P., Bartlett, D., Livingston, M. (2008). Content validity of the expanded and revised Gross Motor Function Classification System. *Developmental Medicine & Child Neurology*, 50 (10), 744-50.

^{2.} Graham H.K., Harvey A., Rodda J., Nattrass G.R., Pirpiris M. (2004). The Functional Mobility Scale (FMS). JPO 24(5): 514–520.

^{3.} Eliasson AC, Krumlinde-Sundholm L, Rösblad B, Beckung E, Arner M, Öhrvall AM, Rosenbaum P. The Manual Ability Classification System (MACS) for children with cerebral palsy: scale development and evidence of validity and reliability. Dev. Med Child Neur 2006. 48:549-554.

^{4.} Himmelmann K, Beckung E, Hagberg G, Uvebrant P. Gross and fine motor function and accompanying impairments in cerebral palsy. Dev Med Child Neurol 2006, 48: 417–423.

^{5.} Hidecker, M.J.C., Paneth, N., Rosenbaum, P.L., Kent, R.D., Lillie, J., Eulenberg, J.B., Chester, K., Johnson, B., Michalsen, L., Evatt, M., & Taylor, K. (2011). Developing and validating the Communication Function Classification System (CFCS) for individuals with cerebral palsy, Dev Med Child Neurol. 53(8), 704-710.

^{6.} Sellers D, Mandy A, Pennington L, Hankins M and Morris C (2013). Development and reliability of a system to classify eating and drinking ability of people with cerebral palsy. Developmental Medicine and Child Neurology. DOI: 10.1111/dmcn12352.